

RONDE VOLSTAVEN - GEEXTRUDEERD - GETEMPERD
BARRES PLEINES RONDES - EXTRUDEES - RECUITES
FULL ROUND RODS - EXTRUDED - TEMPERED

NATUREL / ZWART
NATUREL / BLACK
NATURAL / NOIR

L = 1000, L = 3000

Volgens / suivant / according to **DIN 16980**


D	TOL.		KG/M	€/KG
	MIN.	MAX.		
5	0.10	0.30	0.03	16.40
6	0.10	0.30	0.04	14.03
7	0.10	0.30	0.06	14.03
8	0.10	0.40	0.08	14.03
10	0.10	0.40	0.12	14.03
12	0.20	0.50	0.18	14.03
15	0.20	0.50	0.27	11.03
16	0.20	0.50	0.31	11.03
18	0.20	0.50	0.39	11.03
20	0.20	0.50	0.48	11.03
22	0.20	0.70	0.58	11.03
25	0.20	0.70	0.74	11.03
28	0.20	0.70	0.93	11.03
30	0.20	0.70	1.06	11.03
32	0.20	0.90	1.22	11.03
35	0.20	0.90	1.45	11.03
40	0.20	0.90	1.88	11.03
45	0.30	1.00	2.39	11.03
50	0.30	1.00	2.94	11.03
55	0.30	1.00	3.55	11.03
60	0.30	1.30	4.24	11.03
65	0.30	1.30	4.96	11.03
70	0.30	1.30	5.74	11.03
75	0.40	1.60	6.62	11.03
80	0.40	1.60	7.52	11.03
85	0.50	1.70	8.50	11.03
90	0.50	1.70	9.51	11.03
95	0.60	1.90	10.80	11.03
100	0.60	1.90	11.76	11.03
105	0.70	2.30	12.67	11.03

D	TOL.		KG/M	€/KG
	MIN.	MAX.		
110	0.70	2.30	14.29	11.03
115	0.70	2.30	15.65	11.03
120	0.80	2.70	17.01	11.03
125	0.80	2.70	18.43	11.03
130	0.90	2.90	20.02	11.03
135	0.90	2.90	21.51	11.03
140	0.90	2.90	23.10	11.03
150	1.00	3.20	26.55	11.03
160	1.10	3.40	30.22	11.03
165	1.10	3.40	32.10	11.03
170	1.20	3.80	34.16	11.03
180	1.20	3.80	38.22	11.03
200	1.30	4.20	47.17	11.03
**210	1.30	5.50	51.92	12.30
**230	1.50	6.20	62.34	12.30
**250	1.50	6.20	73.54	12.30
**280	1.60	6.50	91.98	12.30
**300	1.70	7.00	105.60	12.30
**320	1.70	7.00	121.00	12.30
**350	1.70	7.00	138.71	12.30
**400	1.70	7.00	180.65	12.30

** L = 1000 , L = 2000

Ronde volstaven rood, geel, en groen : op aanvraag
Barres pleines rondes rouge, jaune et vert: sur demande
Full round rods red, yellow and green: on request

POM-H : op aanvraag / sur demande / on request



PLATEN - GEESTRUDEERD - GETEMPERD
PLAQUES - EXTRUDEES - RECUITES
SHEETS - EXTRUDED - TEMPERED

NATUREL / ZWART
NATUREL / BLACK
NATURAL / NOIR


Volgens / suivant / according to **DIN 16986**

Toleranties / tolérances / tolerances

s	MIN	MAX
8 ≤ s ≤ 10	+0.2	+0.9
12 ≤ s ≤ 25	+0.3	+1.5
30 ≤ s ≤ 50	+0.5	+2.5
60 ≤ s	+0.5	+3.5
70 ≤ s ≤ 100	+0.5	+5.0
110 ≤ s ≤ 140	+0.8	+6.0
150 ≤ s	+1.0	+7.0

L x B	s	€/KG
1000 x 620	110	12.14
	120	12.14
	130	12.14
	140	12.14
	150	12.14
1000 x 1000	150	*
1250 x 1000	180	*
	200	*
2000 x 1000	120	*
	130	*
	140	*
2000 x 620	8	11.03
3000 x 620	10	11.03
	12	11.03
	15	11.03
	16	11.03
	20	11.03
	25	11.03
	30	11.03
	35	11.03
	40	11.03
	45	11.03
	50	11.03
	60	11.03
	70	11.03
	80	11.03
90	11.03	
100	11.03	
2500 x 1250	16	11.03
	20	11.03
	25	11.03
	30	11.03
	35	11.03
	40	11.03
	50	11.03
	60	11.03

* prijs op aanvraag / prix sur demande / price on request



PLATEN NATUREL / ZWART
PLAQUES NATUREL / BLACK
SHEETS NATURAL / NOIR

Volgens / suivant / according to **DIN 16977**

Gecalandreerd en getemperd. Homopolymeer eveneens verkrijgbaar op aanvraag.
Calandré et recuit. Homopolymère également livrable sur demande.
Calandered and tempered. Homopolymer also available on request.

L x B	s	TOL.		€/KG
		MIN.	MAX.	
2000 x 1000	0.5	-0.02	+0.08	17.68
	0.6	-0.05	+0.10	17.68
	0.8	-0.05	+0.10	17.68
	1.0	-0.10	+0.10	17.68
	1.2	-0.10	+0.10	17.68
	1.5	-0.15	+0.15	17.68
	2.0	-0.15	+0.15	17.68
	2.5	-0.15	+0.15	17.68
	3.0	-0.20	+0.20	17.68
	4.0	-0.20	+0.20	17.68
	5.0	-0.25	+0.25	17.68
	6.0	-0.25	+0.25	17.68
	8.0	+0.20	+0.90	12.14
	10.0	+0.20	+0.90	12.14
	12.0	+0.30	+1.50	12.14
	15.0	+0.30	+1.50	11.03
	20.0	+0.30	+1.50	11.03
	25.0	+0.30	+1.50	11.03
	30.0	+0.50	+2.50	11.03
	35.0	+0.50	+2.50	11.03
40.0	+0.50	+2.50	11.03	
50.0	+0.50	+2.50	11.03	
60.0	+0.50	+3.50	11.03	
70.0				
80.0				
90.0				
100.0				

Platen rood, geel, en groen : op aanvraag / Plaques rouge, jaune et vert: sur demande /
Sheets red, yellow and green: on request




FOLIE OP ROL NATUREL / ZWART
FILM EN ROULEAU NATUREL / BLACK
FILM ON ROLLS NATURAL / NOIR

Volgens / suivant / according to **DIN 16977**

Geëxtrudeerd en getemperd. Homopolymeer eveneens verkrijgbaar op aanvraag.
Extrudé et recuit. Homopolymère également livrable sur demande.
Extruded and tempered. Homopolymer also available on request.

Prijs / prix / price: op aanvraag / sur demande / on request
Min. afname / quantité min. / min. delivery unit : 50 kg

s	TOL.		B	€/KG
	MIN.	MAX.		
0.3	-0.02	+0.08	1000	17.68
0.4	-0.02	+0.08	1000	17.68
0.5	-0.02	+0.08	1000	17.68
0.6	-0.05	+0.10	1000	17.68
0.8	-0.05	+0.10	1000	17.68
1.0	-0.10	+0.10	1000	17.68



PLATEN ZWART
PLAQUES NOIR
SHEETS BLACK


Volgens / suivant / according to **DIN 16977**

Gecalandreerd en getemperd. Homopolymeer eveneens verkrijgbaar op aanvraag.
Calandré et recuit. Homopolymère également livrable sur demande.
Calandered and tempered. Homopolymer also available on request.

Toleranties / tolérances / tolerances

s	min	max
0.5	-0.02	+0.08
0.6	-0.05	+0.10
0.8	-0.05	+0.10
1.0	-0.10	+0.10
1.2	-0.10	+0.10
1.5	-0.15	+0.15
2.0	-0.15	+0.15
2.5	-0.15	+0.15
3.0	-0.20	+0.20
4.0	-0.20	+0.20
5.0	-0.25	+0.25
6.0	-0.25	+0.25
8.0	+0.20	+0.90
10.0	+0.20	+0.90
12.0	+0.20	+1.10

L x B	s	€/KG
2000 x 1000	0.5	20.66
	0.6	20.66
	0.8	20.66
	1.0	20.66
	1.2	20.66
	1.5	20.66
	2.0	20.66
	2.5	20.66
	3.0	20.66
	4.0	20.66
	5.0	20.66
	6.0	20.66
	8.0	20.66
	10.0	20.66
	12.0	20.66
	15.0	13.84
20.0	13.84	
25.0	13.84	
30.0	13.84	
35.0	13.84	
40.0	13.84	
50.0	13.84	
60.0	13.84	




RONDE HOLSTAVEN- GEESTRUDEERD - GETEMPERD
BARRES CREUSES RONDRES - EXTRUDEES - RECUITES
HOLLOW ROUND RODS - EXTRUDED - TEMPERED

NATUREL / ZWART
NATUREL / NOIR
NATURAL / BLACK

L = 1000 / L = 3000 (> D= 140 : L = 2000 max.)
Volgens / suivant / according to DIN 16978.

D x d	TOL.		KG/M	€/KG			
	D	d		NATURAL	BLACK		
20 x 10	1.1/+0.4	-0.4/-1.1	0.39	15.97	16.43		
20 x 12			0.34	15.97	16.43		
20 x 15			0.26	15.97	16.43		
25 x 12			0.60	15.97	16.43		
25 x 15			0.52	15.97	16.43		
25 x 18			0.42	15.97	16.43		
30 x 15			+2.0/+0.6	+0.6/+2.0	0.85	15.97	16.43
30 x 15					0.66	15.97	16.43
36 x 16					1.34	15.97	16.43
36 x 20					1.19	15.97	16.43
36 x 25					0.95	15.97	16.43
36 x 30					0.64	15.97	16.43
40 x 20					1.50	15.97	16.43
40 x 25					1.30	15.97	16.43
40 x 30	0.98	15.97			16.43		
45 x 20	2.03	15.97			16.43		
45 x 25	1.78	15.97			16.43		
45 x 35	1.14	15.97			16.43		
50 x 20	2.60	15.97			16.43		
50 x 25	2.33	15.97			16.43		
50 x 30	2.03	15.97			16.43		
50 x 40	1.29	15.97			16.43		
56 x 35	+2.5/+0.8	-0.8/-2.5			2.52	15.97	16.43
56 x 45					1.65	15.97	16.43
60 x 30			3.40	15.97	16.43		
60 x 40			2.60	15.97	16.43		
60 x 50			1.64	15.97	16.43		
66 x 40			3.54	15.97	16.43		
66 x 50			2.55	15.97	16.43		
70 x 30			+3.0/+0.8	-0.8/-3.0	4.90	15.97	16.43
70 x 40					4.18	15.97	16.43
70 x 50					3.22	15.97	16.43
70 x 60	2.05	15.97			16.43		
75 x 50	4.08	15.97			16.43		
75 x 60	2.86	15.97			16.43		
80 x 40	5.92	15.97			16.43		
80 x 50	4.96	15.97			16.43		
80 x 60	3.77	15.97			16.43		
80 x 70	2.36	15.97			16.43		
85 x 40	+3.6/+1.2	-1.6/-5.0			7.17	15.97	16.43
85 x 60					5.04	15.97	16.43
85 x 70			3.64	15.97	16.43		
90 x 40			8.09	15.97	16.43		
90 x 50			7.20	15.97	16.43		
90 x 60			5.99	15.97	16.43		
90 x 70			4.66	15.97	16.43		
95 x 60			7.15	15.97	16.43		
95 x 80			4.11	15.97	16.43		
100 x 40			10.24	15.97	16.43		
100 x 50	9.33	15.97	16.43				
100 x 60	8.81	15.97	16.43				
100 x 70	6.88	15.97	16.43				
100 x 80	5.20	15.97	16.43				
105 x 60	9.49	15.97	16.43				
105 x 90	4.58	15.97	16.43				



RONDE HOLSTAVEN - GEEXTRUDEERD - GETEMPERD
BARRES CREUSES RONDRES - EXTRUDEES - RECUITES
HOLLOW ROUND RODS - EXTRUDED - TEMPERED


NATUREL / ZWART
NATUREL / NOIR
NATURAL / BLACK

Vervolg / suite / continued

L = 1000 / L = 3000 (> D= 140 : L = 2000 max.)

Volgens / suivant / according to DIN 16978.

D x d	TOL.		KG/M	€/KG	
	D	d		NATURAL	BLACK
115 x 50	+3.6/+1.2	-1.6/-5.0	13.31	15.97	16.43
115 x 70			10.80	15.97	16.43
115 x 80			9.01	15.97	16.43
115 x 90			7.40	15.97	16.43
115 x 100			5.05	15.97	16.43
125 x 50	+4.0/+1.5	-2.0/-6.5	16.10	15.97	16.43
125 x 80			12.00	15.97	16.43
125 x 100			8.12	15.97	16.43
140 x 70	+4.5/+1.5	-2.0/-6.5	18.16	15.97	16.43
140 x 80			16.77	15.97	16.43
140 x 90			14.72	15.97	16.43
140 x 100			12.86	15.97	16.43
140 x 120			8.04	15.97	16.43
150 x 60			22.90	15.97	16.43
150 x 80			19.86	15.97	16.43
150 x 100			16.00	15.97	16.43
160 x 70	+4.5/+1.8	-2.2/-7.5	25.51	15.97	16.43
160 x 80			23.74	15.97	16.43
160 x 100			19.90	15.97	16.43
160 x 130			12.49	15.97	16.43
180 x 90			29.76	15.97	16.43
180 x 120			23.02	15.97	16.43
180 x 140			17.33	15.97	16.43
180 x 160			10.80	15.97	16.43
200 x 100	+6.0/+2.0	-2.5/-8.5	36.76	15.97	16.43
200 x 120			32.30	15.97	16.43
200 x 130			29.77	15.97	16.43
200 x 150			23.32	15.97	16.43
200 x 160			19.93	15.97	16.43
200 x 180			12.73	15.97	16.43
220 x 180	+6.0/+2.0	-2.5/-8.5	22.49	15.97	16.43
250 x 150	+9.0/+3.0	-3.0/-9.0	50.48	15.97	16.43
250 x 170			44.05	15.97	16.43
250 x 200			31.83	15.97	16.43
250 x 220			22.50	15.97	16.43
280 x 200	+9.0/+3.0	-3.0/-10.0	50.57	24.81	25.27
280 x 250			25.66	24.81	25.27
310 x 220	+9.0/+3.0	-3.0/-12.0	62.36	24.81	25.27
310 x 270			35.28	24.81	25.27
350 x 240			82.86	24.81	25.27
350 x 280			59.83	24.81	25.27
350 x 310			40.16	24.81	25.27
400 x 320	+12.0/+4.0	-4.0/-15.0	79.87	24.81	25.27
450 x 410			56.28	24.81	25.27
520 x 325	+15.0/+5.0	-5.0/-15.0	191.09	24.81	25.27
520 x 345			182.73	24.81	25.27




ESD 60

RONDE VOLSTAVEN - ELECTRISCH GELEIDEND
BARRES PLEINES RONDES, CONDUCTEUR D'ELECTRICITE
FULL ROUND RODS, ELECTRICALLY CONDUCTIVE

ZWART
NOIR
BLACK

L = 3000
Ø = 8 - 100

Op aanvraag / sur demande / on request




ESD 60

PLATEN - ELECTRISCH GELEIDEND
PLAQUES - CONDUCTEUR D'ELECTRICITE
SHEETS - ELECTRICALLY CONDUCTIVE

ZWART
NOIR
BLACK

L x B x s = 3000 x 620 x 6-60 mm
L x B x s = 2000 x 1000 x 1-12 mm




ESD 90

RONDE VOLSTAVEN - ELECTRISCH GELEIDEND
BARRES PLEINES RONDES, CONDUCTEUR D'ELECTRICITE
FULL ROUND RODS, ELECTRICALLY CONDUCTIVE

ZWART
NOIR
BLACK

L = 3000
Ø = 20 - 200

Op aanvraag / sur demande / on request



ESD 90

PLATEN - ELECTRISCH GELEIDEND
PLAQUES - CONDUCTEUR D'ELECTRICITE
SHEETS - ELECTRICALLY CONDUCTIVE


ZWART
NOIR
BLACK

L x B x s = 3000 x 620 x 6-60 mm
L x B x s = 2000 x 1000 x 1-12 mm



copolymeer
copolymère
copolymer

POM-GF 25




RONDE VOLSTAVEN + 25% GLASVEZEL
BARRES PLEINES +25% DE FIBRES DE VERRE
FULL ROUND RODS +25% GLASSFIBRES

ZWART
NOIR
BLACK

L = 3000

D	KG/M	€/KG
20	0.526	26.61
22	0.639	26.61
25	0.820	26.61
28	1.024	26.61
30	1.173	26.61
32	1.340	26.61
35	1.597	26.61
40	2.076	26.61
45	2.636	26.61
50	3.243	26.61
55	3.913	26.61
60	4.668	26.61
65	5.466	26.61
70	6.326	26.61
75	7.257	26.61
80	8.286	26.61
85	9.370	26.61
90	10.486	26.61
100	12.956	26.61

andere Ø op aanvraag / autres Ø sur demande / other Ø on request




PLATEN- GEEXTRUDEERD
PLAQUES - EXTRUDEES
SHEETS - EXTRUDED

NATUREL
NATUREL
NATURAL

Volgens / suivant / according to DIN 16986
L x B = 2000 x 620, 3000 x 620

s	TOL.		KG/M
	MIN.	MAX.	
8	+0.2	+0.9	8.41
10			10.41
12	+0.3	+1.5	12.71
16			16.60
20			20.84
25			25.66
30	+0.5	+2.5	30.40
35			35.25
40			40.08
45			45.91
50			50.80
60	+0.5	+3.5	61.72

Prijs op aanvraag / prix sur demande / price on request



RONDE VOLSTAVEN - GEEXTRUDEERD
BARRES PLEINES RONDES - EXTRUDEES
FULL ROUND RODS - EXTRUDED

NATUREL
NATUREL
NATURAL

L = 3000
Volgens / suivant / according to DIN 16980

D	TOL.		KG/M
	MIN.	MAX.	
10	+0.1	+0.5	0.13
12	+0.2	+0.7	0.19
16			0.33
20			0.51
22	+0.2	+0.9	0.63
25			0.81
30			1.15
35	+0.2	+1.1	1.56
40			2.03
45	+0.3	+1.3	2.58
50			3.16
55			3.82
60	+0.3	+1.6	4.65
70			6.18
80	+0.4	+2.0	8.10
90	+0.5	+2.2	10.25
100	+0.6	+2.5	12.67

Prijs op aanvraag / prix sur demande / price on request

Ronde holstaven : op aanvraag
Barres creuses rondes: sur demande
Hollow round rods: on request