




1000

UHMPE


PLATEN, GESCHILD
PLAQUES PLANEES
SHEETS, PEELED

NATUREL WIT
BLANC NATUREL
NATURAL WHITE

Toleranties / Tolérances / Tolerances

1 mm	± 0.3
2 - 4 mm	± 0.2
5 - 8 mm	± 0.3


L x B	s	€/KG
2000 x 1000	1	30.28
	2	26.40
	3	24.85
	4	24.85
	5	24.07
	6	22.52
	8	22.52



PLATEN, GESCHILD
PLAQUES PLANEES
SHEETS, PEELED

GROEN
VERT
GREEN

L x B	s	€/KG
2000 x 1000	1	30.87
	2	26.98
	3	25.43
	4	25.43
	5	24.66
	6	23.11
	8	23.11



PLATEN, GEPERST
PLAQUES PRESSEES
SHEETS, PRESSED

NATUREL WIT
BLANC NATUREL
NATURAL WHITE

Toleranties / Tolérances / Tolerances


≤ 45	± 0.2
> 45	± 0.3
> 90	± 0.4

L x B	s	€/KG
2000 x 1000	10	15.56
	12	15.39
	15	13.96
	20	13.20
	25	13.20
	30	13.20
	35	13.20
	40	13.20
	50	13.20
	60	13.20
	70	13.99
80	13.99	
90	15.39	
100	15.39	
3000 x 1250	10	15.56
	12	15.39
	15	13.96
	20	13.20
	25	13.20
	30	13.20
	40	13.20

**Andere beschikbare afmetingen
Autres dimensions disponibles
Other available dimensions**

L x B	s
2000 x 1000	8 - 200 mm
6000 x 1000	8 - 180 mm
6000 x 2000	8 - 180 mm
3000 x 1250	8 - 100 mm
4000 x 2000	8 - 100 mm
6000 x 2500	8 - 100 mm

Wij verzagen op maat tot s = 100.
Sciage sur mesure jusqu'à s = 100.
We cut to size up to s = 100.



PLATEN, GEPERST
PLAQUES PRESSEES
SHEETS, PRESSED

GROEN / ZWART
VERT / NOIR
GREEN / BLACK


Toleranties / Tolérances / Tolerances

≤ 45	± 0.2
> 45	± 0.3
> 90	± 0.4

L x B	s	€/KG
2000 x 1000	10	17.14
	12	16.97
	15	15.42
	20	14.67
	25	14.67
	30	14.67
	35	14.67
	40	14.67
	50	14.67
	60	14.67
3000 x 1250	10	17.14
	12	16.97
	15	15.42
	20	14.67
	25	14.67
	30	14.67
	40	14.67

Andere beschikbare afmetingen
Autres dimensions disponibles
Other available dimensions

L x B	s
2000 x 1000	8 - 200 mm
3000 x 1250	8 - 100 mm
4000 x 2000	8 - 100 mm
6000 x 1000	8 - 180 mm
6000 x 2000	8 - 180 mm
6000 x 2500	8 - 180 mm




RONDE VOLSTAVEN
BARRES PLEINES RONDES
FULL ROUND RODS

NATUREL WIT
NATUREL BLANC
NATURAL WHITE

L = 1m

D	KG/M	€/KG	D	KG/M	€/KG
10	0.080	20.11	100	7.728	15.57
15	0.180	20.11	110	9.330	15.57
20	0.317	15.57	120	11.136	15.57
25	0.491	15.57	125	12.053	15.57
30	0.703	15.57	130	13.900	15.57
35	0.940	15.57	140	15.133	15.57
40	1.240	15.57	150	17.380	15.57
45	1.570	15.57	160	19.760	15.57
50	1.940	15.57	180	26.660	15.57
55	2.380	15.57	200	31.310	15.57
60	2.800	15.57	230	41.530	20.11
70	3.800	15.57	250	48.550	20.11
80	4.947	15.57			
85	5.680	15.57			
90	6.264	15.57			

Andere lengtes en / of zwart op aanvraag.
Autres longueurs et / ou en noir sur demande.
Other lengths and / or black on request.



RONDE VOLSTAVEN
BARRES PLEINES RONDES
FULL ROUND RODS


GROEN / ZWART
VERT / NOIR
GREEN / BLACK

L = 1 m

D	KG/M	€/KG
10	0.070	20.56
15	0.160	20.56
20	0.317	15.57
25	0.491	15.57
30	0.703	15.57
40	1.240	15.57
50	1.940	15.57
60	2.800	15.57
70	3.800	15.57
80	4.947	15.57
90	6.264	15.57
100	7.728	15.57
110	9.330	15.57
120	11.136	15.57
125	13.010	15.57
140	15.133	15.57
150	17.380	15.57
160	19.760	15.57
200	31.400	15.57
230	38.640	20.56
250	45.650	20.56

Andere lengtes op aanvraag.
Autres longueurs sur demande.
Other lengths on request.


Eveneens leverbaar / aussi livrable / also available



PLATEN
PLAQUES
SHEETS

AST


ANTISTATISCH
ANTISTATIQUE
ANTISTATIC



PLATEN
PLAQUES
SHEETS

EL


ELECTRISCH GELEIDEND
CONDUCTIBILITÉ ÉLECTRIQUE
ELECTRICAL CONDUCTIVITY



PLATEN
PLAQUES
SHEETS

SAPHIR


VOOR ZWAAR BELASTE GLIJELEMENTEN
ÉLÉMENTS DE GLISSEMENT SOUMIS À DE FORTES CONTRAINTES
FOR HIGHLY STRESSED SLIDING ELEMENTS



PLATEN
PLAQUES
SHEETS

SLIDE


GLIJ- EN ANTI-ABRASSIE EIGENSCHAPPEN
POUR LE GLISSEMENT ET D'ABRASION
FOR SLIDING AND ANTI-ABRASION



PLATEN
PLAQUES
SHEETS

POLYBLUE

VOOR ZWARE MECHANISCHE BELASTINGEN
POUR DES FORTES CONTRAINTES MÉCANIQUES
FOR HIGH MECHANICAL STRESSES




PLATEN
PLAQUES
SHEETS

FLAMETECH

VLAMVERTRAGEND
MATÉRIAU INHIBITEUR DE LA FLAMME
FLAME-RETARDE

UL94VO




PLATEN
PLAQUES
SHEETS

EHS

HITTEBESTENDIG
HAUTES TEMPÉRATURE
EXTRA HEAT STABILIZED

110°C



PLATEN
PLAQUES
SHEETS

MICROBLOC

MET ANTIMICROBISCHE WERKING
DOTÉ D'UN EFFET ANTIMICROBIEN
WITH ANTIMICROBIAL ACTION